



### WHAT'S COVERED

### Allowable Procedures for the North Dakota Colorectal Cancer Screening Initiative

and

Relevant 2024 CPT, HCPCS and APC Codes and Reimbursement Rates per the January 2024 posting of the North Dakota Medicare Part B Participating Provider Rates

| CODE  | RATE      | PROCEDURE  |
|-------|-----------|--|
|       |           | Fecal Tests  |
| 81528 | \$508.87  | Oncology (colorectal) screening, quantitative real-time target and signal amplification of 10 DNA markers (KRAS mutations, promoter methylation of NDRG4 and BMP3) and fecal hemoglobin, utilizing stool, algorithm reported as a positive or negative result                    |
| 82272 | \$4.23    | Blood, occult, by peroxidase activity (e.g., guaiac), qualitative, feces, 1-3 simultaneous determinations, performed for other than colorectal neoplasm screening  |
| 82274 | \$15.92   | Blood, Occult by fecal hemoglobin determination by immunoassay qualitative, feces, 1-3 simultaneous determinations (This code can be used for screening or diagnostic tests. G0328 is specifically for screenings and would be more appropriate for screening only initiatives.) |
| G0328 | \$18.05   | Colorectal cancer screening; fecal occult blood test, immunoassay, 1-3 simultaneous  |
|       |           | Colonoscopy  |
| 44388 | \$303.93  | Colonoscopy through stoma; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)   |
| 44389 | \$397.41  | Colonoscopy through stoma; with biopsy, single or multiple   |
| 44390 | \$389.90  | Colonoscopy through stoma; with removal of foreign body(s)   |
| 44391 | \$616.69  | Colonoscopy through stoma; with control of bleeding, any method  |
| 44392 | \$372.96  | Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps  |
| 44394 | \$421.39  | Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique   |
| 44401 | \$2289.92 | Colonoscopy through stoma; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre-and post-dilation and guide wire passage, when performed)   |
| 44402 | \$243.43  | Colonoscopy through stoma; with endoscopic stent placement (including pre- and post-dilation and guide wire passage, when performed)   |
| 44403 | \$282.95  | Colonoscopy through stoma; with endoscopic mucosal resection   |
| 44406 | \$213.76  | Colonoscopy through stoma; with endoscopic ultrasound examination, limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures  |
| 44407 | \$256.06  | Colonoscopy through stoma; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound  |





|                      |                                  | Pathology   |
|----------------------|----------------------------------|---|
|                      |                                  | cancellation.   |
|                      |                                  | those that threatens the well-being of the patient. Not to be used to report elective                                 |
|                      |                                  | for high risk. A discontinued procedure due to extenuating circumstances or   |
| G0121-53             | \$163.52                         | Colorectal cancer screening; colonoscopy on individual not meeting criteria   |
| G0121                | \$327.19                         | Colorectal cancer screening; colonoscopy on individual not meeting criteria for high risk                             |
| C0121                | ¢227.10                          | the well-being of the patient. Not to be used to report elective cancellation.  |
|                      |                                  | discontinued procedure due to extenuating circumstances or those that threatens                                       |
| G0105-53             | \$163.35                         | Colorectal cancer screening; colonoscopy on individual at high risk. A  |
| G0105                | \$327.02                         | Colorectal cancer screening; colonoscopy on individual at high risk   |
| 45398                | \$792.92                         | Colonoscopy, flexible; with band ligation(s) (e.g., hemorrhoids)  |
|                      |                                  | Volvulus, megacolon), including placement of decompression tube, when performed                                       |
| 45393                | \$232.99                         | Colonoscopy, flexible; with decompression (for pathologic distention) (e.g.,  |
|                      |                                  | colon and cecum, and adjacent structures  |
|                      |                                  | examination limited to the rectum, sigmoid, descending, transverse, or ascending                                      |
| 73374                | φ202.93                          | transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound   |
| 45392                | \$282.95                         | adjacent structures  Colonoscopy, flexible; with transendoscopic ultrasound guided intramural or                      |
|                      |                                  | rectum, sigmoid, descending, transvers, or ascending colon and cecum and  |
| 45391                | \$239.99                         | Colonoscopy, flexible; with endoscopic ultrasound examination limited to the  |
| 45390                | \$309.18                         | Colonoscopy, flexible; with endoscopic mucosal resection  |
|                      |                                  | dilatation and guidewire passage, when performed)   |
| 45389                | \$269.34                         | Colonoscopy, flexible; with endoscopic stent placement (includes pre-and post-  |
|                      |                                  | (includes pre- and post- dilation and guidewire passage, when performed)  |
| 45388                | \$2363.99                        | Colonoscopy, flexible; with ablation of tumor(s), polyp(s) or other lesion(s)   |
| 45386                | \$588.35                         | Colonoscopy, flexible; with transendoscopic balloon dilation  |
| TJJ0J                | φ <del>τ</del> υ. <del>τ</del> υ | snare technique   |
| 45385                | \$436.46                         | Colonoscopy, flexible; with removal of tumor(s), polyp(s) or other lesion(s) by                                       |
| 45384                | \$468.92                         | Colonoscopy, flexible; with removal of tumor(s), polyp(s) or other lesion(s) by hot biopsy forceps or bipolar cautery |
| 45382                |                                  | Colonoscopy, flexible; with control of bleeding, any method   |
| 45381                | \$427.23<br>\$641.60             | Colonoscopy, flexible; with directed submucosal injections(s), any substance  |
| 45380                | \$418.39                         | Colonoscopy, flexible; with biopsy, single or multiple  |
| 45379                | \$417.78                         | Colonoscopy, flexible; with removal of foreign body(s)  |
| 4.50.50              | <b>0.11 7. 9.</b>                | of the patient. Not to be used to report elective cancellation.   |
|                      |                                  | procedure due to extenuating circumstances or those that threatens the well-being                                     |
|                      |                                  | brushing or washing when performed (separate procedure). A discontinued   |
| <del>453</del> 78-53 | \$163.35                         | Colonoscopy, flexible; diagnostic, including collection of specimen(s) by   |
| 10070                | \$327.02                         | brushing or washing when performed (separate procedure)   |
| 45378                | \$327.02                         | Colonoscopy, flexible; diagnostic, including collection of specimen(s) by   |
|                      |                                  | volvulus, megacolon), including placement of decompression tube, when performed                                       |
| 44408                | \$215.72                         | Colonoscopy through stoma; with decompression (for pathologic distention) (eg,  |
| 44400                | 0015.70                          |   |
| 44400                | ФО15 70                          | examination limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures      |





| 88300    | \$15.73/unit                           | Surgical pathology, gross examination only (surgical specimen)                     |
|----------|--|--|
| 88300-TC | \$11.63/unit                           | Technical Component: Surgical pathology, gross examination only (surgical          |
| 00300 10 | φ11.05/ απι                            | specimen)  |
| 88300-26 | \$4.10/unit                            | Professional Component: Surgical pathology, gross examination only (surgical       |
| 00300 20 | ψ π τον απιτ                           | specimen)  |
| 88302    | \$32.43/unit                           | Surgical pathology, gross and microscopic examination (review level II)            |
| 88302-TC | \$26.04/unit                           | Technical Component: Surgical pathology, gross and microscopic examination         |
| 00302 10 | φ20.0 π απτ                            | (review level II)  |
| 88302-26 | \$6.39/unit                            | Professional Component: Surgical pathology, gross and microscopic examination      |
| 00302 20 | φο.357 απτ                             | (review level II)  |
| 88304    | \$41.92/unit                           | Surgical pathology, gross and microscopic examination (review level III)           |
| 88304-TC | \$31.28/unit                           | Technical Component: Surgical pathology, gross and microscopic examination         |
| 0030110  | ψ51.20/ απτ                            | (review level III)   |
| 88304-26 | \$10.65/unit                           | Professional Component: Surgical pathology, gross and microscopic examination      |
| 0030.20  | φ10.007 dilit                          | (review level III)   |
| 88305    | \$70.08/unit                           | Surgical pathology, gross and microscopic examination, colon, colorectal polyp     |
| 00302    | φ γ 0.00 γ dilit                       | biopsy (review level IV)   |
| 88305-TC | \$34.88/unit                           | Technical Component: Surgical pathology, gross and microscopic examination,        |
| 00303 10 | φ3 1.00/ απτ                           | colon, colorectal polyp biopsy (review level IV)                                   |
| 88305-26 | \$35.21/unit                           | Professional Component: Surgical pathology, gross and microscopic                  |
| 00302 20 | φ33.21, απι                            | examination, colon, colorectal polyp biopsy (review level IV)                      |
| 88307    | \$281.80/unit                          | Surgical pathology, gross and microscopic examination, colon, segmental            |
| 00207    | \$201.00% dillic                       | resection other than for tumor (review level V)                                    |
| 88307-TC | \$204.67                               | Technical Component: Surgical pathology, gross and microscopic examination,        |
|          | φ=0.1.07                               | colon, segmental resection other than for tumor (review level V)                   |
| 88307-26 | \$77.13/unit                           | Professional Component: Surgical pathology, gross and microscopic                  |
| 00207 20 | φ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | examination, colon, segmental resection other than for tumor (review level V)      |
| 88309    | \$423.60/unit                          | Surgical pathology, gross and microscopic examination, colon, segmental            |
|          | ,                                      | resection for tumor or total resection (review level VI)                           |
| 88309-TC | \$287.52/unit                          | Technical Component: Surgical pathology, gross and microscopic examination,        |
|          |  | colon, segmental resection for tumor or total resection (review level VI)          |
| 88309-26 | \$136.08/unit                          | Professional Component: Surgical pathology, gross and microscopic                  |
|          |  | examination, colon, segmental resection for tumor or total resection (review level |
|          |  | VI)  |
| 88312    | \$110.36/unit                          | Pathology, special stains  |
| 88312-TC | \$85.30/unit                           | Technical Component Pathology, special stains                                      |
| 88312-26 | \$25.06/unit                           | Professional Component – Pathology, special stains                                 |
| 88341    | \$88.91/unit                           | Immunohistochemistry or immunocytochemistry, per specimen; each additional         |
|          |  | single antibody stain procedure (List separately in addition to code for primary   |
|          |  | procedure) (Use 88341 in conjunction with 88342)                                   |
| 88341-TC | \$62.54/unit                           | Technical Component: Immunohistochemistry or immunocytochemistry, per              |
|          |  | specimen; each additional single antibody stain procedure (List separately in      |
|          |  | addition to code for primary procedure) (Use 88341 in conjunction with 88342)      |
| 88341-26 | \$26.37/unit                           | Professional Component: Immunohistochemistry or immunocytochemistry, per           |
|          |  | specimen; each additional single antibody stain procedure (List separately in      |
|          |  | addition to code for primary procedure)  |
|          |  | (Use 88341 in conjunction with 88342)  |
| 88342    | \$103.81/unit                          | Pathology: Immunocytochemistry, each antibody                                      |





| 88342 TC | 70.90/unit | Technical Component – Pathology: Immunocytochemistry, each antibody    |
|----------|------------|--|
| 88342-26 | 32.91/unit | Professional Component - Pathology: Immunocytochemistry, each antibody |

|            | Office Visits          |   |  |
|------------|------------------------|---|--|
| Initial, N | ew Patients            |   |  |
| 99202      | \$69.79                | New patient; medically appropriate history/exam; straightforward decision making; 15-29 minutes   |  |
| 99203      | \$107.16               | New patient; medically appropriate history/exam; low level decision making; 30-44 minutes   |  |
| 99204      | \$160.58               | New patient; medically appropriate history/exam; moderate level decision making; 45-59 minutes  |  |
| 99205      | \$211.55               | New patient; medically appropriate history/exam; high level decision making; 60-74 minutes (Patients who have chronic conditions, are on high toxicity drugs and require studies to support colonoscopy can be performed may result in a 99205)                                   |  |
| 99385      | \$110.51               | Initial comprehensive preventive medicine evaluation and management; history, examination, counseling and guidance, risk factor reduction, ordering of appropriate immunizations and lab procedures; 18 to 39 years of age (using reimbursement rate same as <i>Women's Way</i> ) |  |
| 99386      | \$110.51               | Initial comprehensive preventive medicine evaluation and management; history, examination, counseling and guidance, risk factor reduction, ordering of appropriate immunizations and lab procedures; 40 to 65 years of age (using reimbursement rate same as <i>Women's Way</i> ) |  |
| 99387      | \$110.51               | Initial comprehensive preventive medicine evaluation and management; history, examination, counseling and guidance, risk factor reduction, ordering of appropriate immunizations and lab procedures; 65 years and older (using reimbursement rate same as <i>Women's Way</i> )    |  |
| 87426      | <b>35.3</b> 3          | COVID-19 infectious agent detection by nuclei acid DNA or RNA: amplified probe technique  |  |
| 87635      | 51.31                  | COVID-19 infectious agent antigen detection by immunoassay technique; qualitative or semiquantitative   |  |
| Establish  | ed Patients            | *   |  |
| 99211      | \$22.76                | Evaluation and management, may not require presence of Physician; 5 minutes   |  |
| 99212      | \$54.72                | Problem focused history, exam, straightforward decision-making; 10 minutes  |  |
| 99213      | \$87.81                | Expanded problem focused history, exam, and low complexity medial decision-making; 15 minutes   |  |
| 99214      | \$123.85               | Detailed history, detailed exam and moderate complexity medical decision making; 25 minutes   |  |
| 99215      | \$173.99               | Comprehensive history; comprehensive examination and medical decision making of high complexity; 60 minutes (Patients who have chronic conditions, are on high toxicity drugs and require studies to support colonoscopy can be performed may result in a 99215)                  |  |
| 99395      | <b>\$90.</b> 08        | Periodic comprehensive preventive medicine evaluation and management; for 18 to 39 years of age (using reimbursement rate same as <i>Women's Way</i> )  |  |
| 99396      | \$ <mark>90.</mark> 08 | Periodic comprehensive preventive medicine evaluation and management; for 40 to 64 years and older (using reimbursement rate same as <i>Women's Way</i> )   |  |
| 99397      | \$90.08                | Periodic comprehensive preventive medicine evaluation and management; same as 99395 but 65 years and older (reimbursement rate same as <i>Women's Way</i> )   |  |





|       | APC Codes   |  |  |  |
|-------|---|--|--|--|
|       | (HOPPS Codes for Hospital Based Out-patient Facilities) |  |  |  |
|       |   |  |  |  |
| 44388 | \$870.81  | Colonoscopy through stoma; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)   |  |  |
| 44389 | \$1,124.36  | Colonoscopy through stoma; with biopsy, single or multiple   |  |  |
| 44390 | \$870.81  | Colonoscopy through stoma; with removal of foreign body(s)   |  |  |
| 44391 | \$1,124.36  | Colonoscopy through stoma; with control of bleeding, any method  |  |  |
| 44392 | \$1,124.36  | Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps  |  |  |
| 44394 | \$1,124.36  | Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique   |  |  |
| 44401 | \$1,124.36  | Colonoscopy through stoma; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre-and post-dilation and guide wire passage, when performed)   |  |  |
| 44402 | \$5,430.19  | Colonoscopy through stoma; with endoscopic stent placement (including pre- and post-dilation and guide wire passage, when performed)   |  |  |
| 44403 | \$1,124.36  | Colonoscopy through stoma; with endoscopic mucosal resection   |  |  |
| 44406 | \$1,124.36  | Colonoscopy through stoma; with endoscopic ultrasound examination, limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures  |  |  |
| 44407 | \$1,124.36  | Colonoscopy through stoma; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures |  |  |
| 44408 | \$870.81  | Colonoscopy through stoma; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed   |  |  |
| 45378 | \$870.81  | Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing (separate procedure)   |  |  |
| 45379 | \$1,124.36  | Colonoscopy, flexible; with removal of foreign body(s)   |  |  |
| 45380 | \$1,124.36  | Colonoscopy, flexible; with biopsy, single or multiple   |  |  |
| 45381 | \$1,124.36  | Colonoscopy, flexible; with directed submucosal injections(s), any substance   |  |  |
| 45382 | \$1,124.36  | Colonoscopy, flexible; with control of bleeding, any method  |  |  |
| 45384 | \$1,124.36  | Colonoscopy, flexible; with removal of tumor(s), polyp(s) or other lesion(s) by hot biopsy forceps or bipolar cautery  |  |  |
| 45385 | \$1,124.36  | Colonoscopy, flexible; with removal of tumor(s), polyp(s) or other lesion(s) by snare technique  |  |  |
| 45386 | \$1,124.36  | Colonoscopy, flexible; with transendoscopic balloon dilation   |  |  |
| 45388 | \$1,124.36  | Colonoscopy, flexible; with ablation of tumor(s), polyp(s) or other lesion(s) (includes pre- and post-dilatation and guidewire passage, when performed)  |  |  |
| 45389 | \$5,430.19  | Colonoscopy, flexible; with endoscopic stent placement (includes pre-and post-dilatation and guidewire passage, when performed)  |  |  |
| 45390 | \$2,675.24  | Colonoscopy, flexible; with endoscopic mucosal resection   |  |  |
| 45391 | \$1,124.36  | Colonoscopy, flexible; with endoscopic ultrasound examination limited to the rectum, sigmoid, descending, transvers, or ascending colon and cecum and adjacent structures  |  |  |
| 45392 | \$1,124.36  | Colonoscopy, flexible; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound  |  |  |





|       |            | examination limited to the rectum, sigmoid, descending, transverse, or ascending colon and cecum, and adjacent structures  |
|-------|------------|--|
| 45393 | \$1,124.36 | Colonoscopy, flexible; with decompression (for pathologic distention) (e.g., Volvulus, megacolon), including placement of decompression tube, when performed   |
| 45398 | \$1,124.36 | Colonoscopy, flexible; with band ligation(s) (e.g., hemorrhoids)   |
|       |            | ASC Codes  |
|       |            |  |
| 44388 | \$474.05   | Colonoscopy through stoma; diagnostic, including collection of specimen(s) by brushing or washing, when performed (separate procedure)   |
| 44389 | \$612.08   | Colonoscopy through stoma; with biopsy, single or multiple   |
| 44390 | \$474.05   | Colonoscopy through stoma; with removal of foreign body(s)   |
| 44391 | \$612.08   | Colonoscopy through stoma; with control of bleeding, any method  |
| 44392 | \$612.08   | Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps  |
| 44394 | \$612.08   | Colonoscopy through stoma; with removal of tumor(s), polyp(s), or other lesion(s) by snare technique   |
| 44401 | \$612.08   | Colonoscopy through stoma; with ablation of tumor(s), polyp(s), or other lesion(s) (includes pre-and post-dilation and guide wire passage, when performed)   |
| 44402 | \$3,243.14 | Colonoscopy through stoma; with endoscopic stent placement (including pre- and post-dilation and guide wire passage, when performed)   |
| 44403 | \$612.08   | Colonoscopy through stoma; with endoscopic mucosal resection   |
| 44406 | \$612.08   | Colonoscopy through stoma; with endoscopic ultrasound examination, limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures  |
| 44407 | \$612.08   | Colonoscopy through stoma; with transendoscopic ultrasound guided intramural or transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound examination limited to the sigmoid, descending, transverse, or ascending colon and cecum and adjacent structures |
| 44408 | \$474.05   | Colonoscopy through stoma; with decompression (for pathologic distention) (eg, volvulus, megacolon), including placement of decompression tube, when performed   |
| 45378 | \$474.05   | Colonoscopy, flexible; diagnostic, including collection of specimen(s) by brushing or washing, with or without colon decompression (separate procedure)  |
| 45379 | \$612.08   | Colonoscopy, flexible; with removal of foreign body(s)   |
| 45380 | \$612.08   | Colonoscopy, flexible; with biopsy, single or multiple.  |
| 45381 | \$612.08   | Colonoscopy, flexible; with directed submucosal injections(s), any substance.  |
| 45382 | \$612.08   | Colonoscopy, flexible; with control of bleeding, any method.   |
| 45384 | \$612.08   | Colonoscopy, flexible; with removal of tumor(s), polyp(s) or other lesion(s) by hot biopsy forceps or bipolar cautery.   |
| 45385 | \$612.08   | Colonoscopy, flexible; with proximal to splenic flexure; with removal of tumor(s), polyp(s) or other lesion(s) by snare technique.   |
| 45386 | \$612.08   | Colonoscopy, flexible; with transendoscopic balloon dilatation.  |
| 45388 | \$612.08   | Colonoscopy, flexible; with ablation of tumor(s), polyp(s) or other lesion(s) includes pre-and post-dilatation and guide-wire passage.   |
| 45389 | \$3,946.39 | Colonoscopy, flexible; with endoscopic stent placement (includes pre-and post-dilatation and guidewire passage, when performed).   |





| 45390 | \$1,348.91   | Colonoscopy, flexible; with endoscopic mucosal resection.                        |
|-------|--------------|--|
| 45391 | \$612.08     | Colonoscopy, flexible; with endoscopic ultrasound examination limited to the     |
|       |              | rectum, sigmoid, descending, transvers, or ascending colon and cecum and         |
|       |              | adjacent structures.   |
| 45392 | \$612.08     | Colonoscopy, flexible; with transendoscopic ultrasound guided intramural or      |
|       |              | transmural fine needle aspiration/biopsy(s), includes endoscopic ultrasound      |
|       |              | examination limited to the rectum, sigmoid, descending, transverse, or ascending |
|       |              | colon and cecum, and adjacent structures.  |
| 45393 | \$612.08     | Colonoscopy, flexible; with decompression (for pathologic distention) (e.g.,     |
|       |              | Volvulus, megacolon), including placement of decompression tube, when            |
|       |              | performed.   |
| 45398 | \$612.08     | Colonoscopy, flexible; with band ligation(s) (e.g., hemorrhoids).                |
|       |              | Anesthesiology   |
|       |              |  |
| 00811 | \$20.79/unit | Anesthesia for lower intestinal endoscopic procedures, endoscope introduced      |
|       |              | distal to duodenum; not otherwise specified                                      |
| 00812 | \$20.79/unit | Anesthesia for lower intestinal endoscopic procedures, endoscopic introduced     |
|       |              | distal to duodenum; screening colonoscopy  |
| CDT 1 | 00011 4 4 .1 | 1 00011 07 11 11 11 1 1 1 1 1 1 1 1 1 1  |

CPT codes 00811-AA through 00811-QZ are allowable anesthesia codes with the relative value per unit of 4. CPT codes 00812-AA through 00812-QZ are allowable anesthesia codes with the relative value per unit of 3. Codes 00811-AA through QZ are calculated using the following formula. One unit of time (15-minute intervals/unit + the relative value of 4 x the conversion factor of CPT codes 00811at \$20.79/unit.

### Formula: RVU+ unit of time (15 min increment/unit) x Conversion factor

Example: Anesthesia services performed by an anesthesiologist (CPT code 00811-AA). The anesthesia was administered for 30 minutes which is 2 units of time. Example Equation for this scenario is as follows:  $2+4 \times 20.79 = \$124.74$ 

Codes 00812-AA through QZ are calculated using the following formula. One unit of time (15-minute intervals/unit + the relative value of 3 x the conversion factor of CPT codes 00812 at \$20.79/unit.

#### Formula: RVU+ unit of time (15 min increment/unit) x Conversion factor

Example: Anesthesia services performed by an anesthesiologist (CPT code 00812-AA). The anesthesia was administered for 30 minutes which is 2 units of time. Example Equation for this scenario is as follows:  $2+3 \times 20.79 = \$103.95$ 

See addendum to What's Covered on page 8 of this document for guidance regarding reimbursement for each of the anesthesia modifiers below based on provider type.

|        | 1           | ,  |
|--------|-------------|--|
| 00811- | Use Formula | Anesthesia for lower intestinal endoscopic procedures, endoscope introduced      |
| AA     |             | distal to duodenum; not otherwise specified, Anesthesia services performed by    |
|        |             | anesthesiologist   |
| 00811- | Use Formula |  |
| QK     |             | distal to duodenum; not otherwise specified, Medical direction of two, three, or |
|        |             | four concurrent anesthesia procedures involving qualified individuals            |
| 00811- | Use Formula | Anesthesia for lower intestinal endoscopic procedures, endoscope introduced      |
| QX     |             | distal to duodenum; not otherwise specified, CRNA service with medical direction |
|        |             | by a Physician   |
| 00811- | Use Formula | Anesthesia for lower intestinal endoscopic procedures, endoscope introduced      |
| QY     |             | distal to duodenum; not otherwise specified, Anesthesiologist medically directs  |
|        |             | one CRNA   |





| 00811-QZ    | Use Formula     | Anesthesia for lower intestinal endoscopic procedures, endoscope introduced distal to duodenum; not otherwise specified, CRNA service without medical |
|-------------|-----------------|---|
| 00012       | II F1-          | direction by a physician  |
| 00812-      | Use Formula     | Anesthesia for lower intestinal endoscopic procedures, endoscope introduced   |
| AA          |                 | distal to duodenum; screening colonoscopy, Anesthesia services performed by   |
| 00012       | Has Esmanla     | anesthesiologist  |
| 00812-      | Use Formula     | Anesthesia for lower intestinal endoscopic procedures, endoscope introduced   |
| QK          |                 | distal to duodenum; screening colonoscopy, Medical direction of two, three, or  |
| 00012       | II E 1          | four concurrent anesthesia procedures involving qualified individuals   |
| 00812-      | Use Formula     | Anesthesia for lower intestinal endoscopic procedures, endoscope introduced   |
| QX          |                 | distal to duodenum; screening colonoscopy, CRNA service with medical direction by a Physician   |
| 00812-      | Use Formula     | Anesthesia for lower intestinal endoscopic procedures, endoscope introduced   |
| QY          |                 | distal to duodenum; screening colonoscopy, Anesthesiologist medically directs   |
|             |                 | one CRNA  |
| 00812-QZ    | Use Formula     | Anesthesia for lower intestinal endoscopic procedures, endoscope introduced   |
| 1           |                 | distal to duodenum; screening colonoscopy, CRNA service without medical   |
|             |                 | direction by a physician  |
| As of Janua | ry 1, 2017, the | following CPT codes are to be used for moderate sedation. These codes will be   |
|             |                 | y procedures by this Initiative at Medicare Part B rates. Additional information  |
|             |                 | g of moderate sedation using the four codes below is included on page 14 of this  |
| document.   |                 |   |
| 99152       | \$48.97         | Moderate sedation services provided by the same physician or other qualified  |
|             |                 | health care professional performing the diagnostic or therapeutic service that the  |
|             |                 | sedation support requiring the presence of an independent trained observer to   |
|             |                 | assist in the monitoring of the patient's level of consciousness and physiological  |
|             |                 | status; initial 15 minutes of intra-service time, patient age five years and older.   |
| 99153       | \$11.14         | Moderate sedation services provided by the same physician or other qualified  |
|             |                 | health care professional performing the diagnostic or therapeutic service that the  |
|             |                 | sedation supports, requiring the presence of an independent trained observer to   |
|             |                 | assist in the monitoring of the patient's level of consciousness and physiological  |
|             |                 | status; each additional 15 minutes intra-service time (list separately in addition to   |
|             |                 | code for primary service).  |
| 99156       | \$70.00         | Moderate sedation services provided by a physician or other qualified health care   |
|             |                 | professional other than the physician or other qualified health care professional   |
|             |                 | performing the diagnostic or therapeutic service that the sedation supports; initial  |
|             |                 | 15 minutes of intra-service time, patient age 5 years or older.   |
| 99157       | \$55.89         | Moderate sedation services provided by a physician or other qualified health care   |
|             |                 | professional other than the physician or other qualified health care professional   |
|             |                 | performing the diagnostic or therapeutic service that the sedation supports; each   |
|             |                 | additional 15 minutes intra-service time (list separately in addition to code for   |
|             |                 | primary service).   |
| G0500       | \$55.85         | Moderate sedation services provided by the same physician or other qualified  |
|             |                 | health care professional performing a gastrointestinal endoscopic service that  |
|             |                 | sedation supports, requiring the presence of an independent trained observer to   |
|             |                 | assist in the monitoring of the patient's level of consciousness and  |
|             |                 | physiological status; initial 15 minutes of intra-service time; patient age 5 years   |
|             |                 | or older (additional time may be reported with 99153, as appropriate)   |
|             | <u> </u>        | or order (additional time may be reported with 77133, as appropriate)   |





| J2250 | <b>\$0.1</b> 57/mg | Injection, midazolam hydrochloride per 1 mg |
|-------|--------------------|---|
| J3010 | \$0.918/0.1m<br>g  | Injection, fentanyl citrate per 0.1 mg      |





| The Following CPT Codes Are ONLY Allowed as Part of a Pre-op Physical Prior to |         |   |
|--|---------|---|
|  |         | Colonoscopy Procedure (if required)   |
|  |         | Electrocardiogram   |
|  |         | (billable only as pre-op procedure prior to colonoscopy)  |
| 93000  | \$13.76 | Electrocardiogram, routine ECG with at least 12 leads; with interpretation and report   |
| 93005  | \$6.06  | Electrocardiogram, routine ECG with at least 12 leads; with interpretation and report   |
| 93010  | \$7.70  | Electrocardiogram, routine ECG with at least 12 leads; tracing only, interpretation and report only   |
| 93040  | \$12.45 | Rhythm ECG, one to three leads; with interpretation and report  |
| 93041  | \$6.06  | Rhythm ECG, one to three leads; tracing only without interpretation and report  |
| 93042  | \$6.39  | Rhythm ECG, one to here leads; interpretation and report only   |
| 7 7 7 1 -  | 7 3 3 3 | Blood or other Lab Work   |
|  |         | (billable only as pre-op procedure prior to colonoscopy)  |
| 80048  | \$8.46  | Basic metabolic panel (Calcium total). This panel must include the following:   |
|  |         | Calcium (82310) Carbon dioxide (82374) Chloride (82423) Creatinine (82565) Glucose (82947) potassium (84132) Sodium (84295) Urea nitrogen (BUN) (84520) |
| 80053  | \$10.56 | Comprehensive metabolic panel. This panel must include the following; albumin   |
| 00022  | φ10.20  | (82040); bilirubin, total (82247); calcium (82310); carbon dioxide (bicarbonate)  |
|  |         | (82374); chloride (82435); creatinine (82565); glucose (82947); phosphatase,  |
|  |         | alkaline (84075); potassium (84132); protein, total (84155); sodium (84295);  |
|  |         | transferase, alanine amino (84460); transferase, aspartate amino (84450); urea  |
|  |         | nitrogen (84520)  |
| 85025  | \$7.77  | Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count) and automated differential WBC count                                     |
| 85027  | \$6.47  | Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC and platelet count)  |
| 85610  | \$4.29  | Prothrombin time  |
| 85732  | \$6.47  | Thromboplastin time, partial (PTT); plasma or whole blood   |
| 36415  | \$8.83  | Venipuncture (allow one per day) (*FFS)   |
| 81000  | \$4.02  | Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,  |
|  |         | ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any  |
|  |         | number of these constituents; non-automated, with microscopy  |
| 81001  | \$3.17  | Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,  |
|  | ·       | ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any  |
|  |         | number of these constituents; automated, with microscopy  |
| 81002  | \$3.48  | Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,  |
|  |         | ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any  |
|  |         | number of these constituents; automated, without microscopy   |
| 81003  | \$2.25  | Urinalysis, by dip stick or tablet reagent for bilirubin, glucose, hemoglobin,  |
|  |         | ketones, leukocytes, nitrite, pH, protein, specific gravity, urobilinogen, any  |
|  |         | number of these constituents; non-automated, without microscopy   |
|  | •       | Chest X-ray   |
|  |         | (billable only as pre-op procedure prior to colonoscopy   |
| 71046  | \$32.76 | Chest x-ray two views (frontal and lateral)   |





| 71046-TC                                    | \$22.76  | Chest x-ray two views (frontal and lateral) |  |  |
|---|--|---|--|--|
| 71046-26                                    | \$9.99   | Chest x-ray two views (frontal and lateral) |  |  |
| Modifiers                                   |  |   |  |  |
| (to be reported with appropriate CPT Codes) |  |   |  |  |
| -53   | A discontinued procedure due to extenuating circumstances or those that threatens the well-being |   |  |  |
|   | of the patient. Not to be used to report elective cancellation.                                  |   |  |  |
| -73   | Discontinued procedure prior to anesthesia   |   |  |  |
| -74   | Discontinued procedure after anesthesia  |   |  |  |
| -26   | Professional Component   |   |  |  |
| -TC   | Technical Component  |   |  |  |
| -QW   | Waived test under CLIA*  |   |  |  |
| - SG  | The modifier indicates that the claim is for the facility fee ONLY.                              |   |  |  |
|   |  |   |  |  |

Note: A procedure can be split into its "professional" and "technical" components and each can be billed separately as noted; however, a provider cannot bill using both codes. The sum of the two components equals the rate if billed with one code.

• CPT codes and reimbursement rates are updated annually.

<sup>\*</sup>The CPT codes for this test must have the modifier QW to be recognized as a waived test. These are tests approved by the Food and Drug Administration as waived tests under CLIA.





### **Record of Review/Revisions:**

| Date of Issue | Description of Review or Change  | Page(s) Affected    | Approved By              |
|---------------|--|---------------------|--------------------------|
| 4/4/2024      | Updated approved CPT code reimbursement amounts for 2024   | All pages           | Senette                  |
| 3/23/2023     | Updated approved CPT code reimbursement amounts for 2023   | All pages           | Jene Le                  |
| 3/23/2022     | Updated approved CPT code reimbursement amounts for 2022 Added new Cologuard code 81528  | All pages Page 1    | Swan M. Mormann          |
| 3/24/2021     | Updated approved CPT code  | All pages           |                          |
|               | reimbursement amounts for 2021<br>Removed CPT code 99201 as was no<br>longer valid   | Page 3              |                          |
|               | Added New COVID-19 codes: 87426 and 87635 Added new FOBT code 82272  | D 1                 | Swan M. Mormann          |
|               | Added new POBT code 82272 Added new colonoscopy, ASC, APC codes 44388-44392, 44394, 44401-44403, 44406-44408                               | Page 1<br>Pages 1-6 | Divition of the property |
|               | Added new anesthesia codes J2250 & J3010   | Page 8              |                          |
| 02/11/2020    | Updated approved CPT code reimbursement amounts for 2020   | All pages           | Swan M. Mormann          |
|               | Added codes G0328, G0105, G0121, G0500, 99205, 99215   | Pages 1-3, 6        | DIMIN III. III mann      |
| 03/11/2019    | Updated approved CPT code reimbursement amounts for 2019   | All pages           | Susan M. Mormann         |
| 7/16/2018     | Removed CPT code 00810 as was no longer a valid code and replaced with codes 00811 and 00812   | Page 4 and 5        | Susan M. Mormann         |
| 7/16/2018     | Updated approved CPT code reimbursement amounts for 2019   | All pages           | Susan M. Mormann         |
| 5/09/2018     | Corrected chest x-ray CPT code to the new code for 2018 and it's corresponding reimbursement amount.                                       | Page 6              | Susan M. Mormann         |
| 3/01/2018     | Updated approved CPT code reimbursement amounts for 2018   | All pages           | Susan M. Mormann         |
| 3/16/2017     | Added CPT codes 99152, 99153, 99156 and 99157.   | Page 5<br>Page 10   |                          |
|               | Added information regarding coding and billing for moderate sedation.  Corrected reimbursement amounts for CPT codes 71020-TC and 71020-26 | Page 6              | Susan M. Mormann         |
| 3/16/2017     | Added CPT codes 99152, 99153, 99156 and 99157.   | Page 5              | Susan M. Mormann         |





|            | Added information regarding coding and  | Page 10 |                  |
|------------|---|---------|------------------|
|            | billing for moderate sedation.  Corrected reimbursement amounts for CPT codes 71020-TC and 71020-26 | Page 6  |                  |
| 07/01/2016 | Added 99396 and 99386<br>Effective back to original date of document<br>(03/03/16)                  | Page 3  | Susan M. Mormann |
| 03/03/2016 | Original What's Covered List approved   | All     | Susan M. Mormann |

### **Acronyms**

APC Ambulatory Payment Classifications

ASC Ambulatory Surgery Center

CLIA Clinical Laboratory Improvement Amendments of 1988

CMS Centers for Medicare and Medicaid Services

CPT Current Procedural Terminology
CRNA Certified Registered Nurse Anesthetist

HCPCS Healthcare Common Procedure Coding System HOPPS Hospital Outpatient Prospective Payment System

MS Moderate Sedation





## Addendum to WHAT'S COVERED

# Allowable Procedures for the North Dakota Colorectal Cancer Screening Initiative

### **Initiative Billing Details**

Provider fee for multiple endoscopy codes per procedure:

The Initiative will follow CMS rules for provider fee billing of multiple endoscopy codes per procedure. Only codes listed on this document from 45378 through 45398 will be considered for reimbursement. Guidelines for billing of codes not within the same family include the following:

• When the same Physician performs more than one surgical service at the same session, the allowed amount is 100 percent of the surgical code listed in this document with the highest reimbursement rate. The allowed amount for the subsequent surgical codes is based on 50 percent of the allowed amount as listed in this document.

Guidelines for billing when the codes are within the same family include the following:

- Identify if the billed codes are the same Endoscopic Base Code (using the Physician Fee Schedule Payment Policy Indicator File).
- Pay the full value, as noted on this document, of the highest value endoscopy (if the same basis is shared), plus the difference between the next highest and the base endoscopy.

### Billing APC and ASC codes when multiple codes per procedure occur:

- The Initiative will follow CMS guidelines for billing of APC codes when multiple codes per procedure occur. The CPT code with the highest reimbursement rate will be billed at 100% of the listed reimbursement rate on this document and 50% of the reimbursement rate thereafter for any additional codes.
- The Initiative will follow CMS guidelines for billing of ASC codes when multiple codes per procedure occur. The CPT code with the highest reimbursement rate will be billed at 100% of the listed reimbursement rate on this document and 50% of the reimbursement rate thereafter for any additional codes.

#### Monitored Anesthesia:

- Use of monitored anesthesia care is considered **not medically necessary** for colonoscopy procedures in patients of average risk related to use of anesthesia and sedation and will not be reimbursed by the Initiative.
- The Initiative will follow CMS guidelines for monitored anesthesia. Monitored anesthesia will be reimbursed by the Initiative only under specific circumstances as noted below:
  - O Use of monitored anesthesia care may be considered medically necessary for colonoscopy procedures only when there is documentation by the Proceduralist and Anesthesiologist that one or more of the following specific risk factors or significant medical conditions are present:
    - Prolonged or therapeutic endoscopy procedure requiring deep sedation, or
    - Increased risk for complications due to severe comorbidity (ASA class III or greater), or
    - Morbid obesity (BMI >40), or
    - Documented sleep apnea, or
    - Inability to follow simple commands (cognitive dysfunction, intoxication, or psychological impairment), or





- Spasticity or movement disorder complicating procedure, or
- History of or anticipated intolerance to standard sedatives, such as
  - o Chronic opioid use
  - o Chronic benzodiazepine use, or
- Patients with active medical problems related to drug or alcohol abuse, or
- Acutely agitated uncooperative patients, or
- Patients with increased risk for airway obstruction due to anatomic variation, such as:
  - History of stridor
  - Dysmorphic facial features
  - o Oral abnormalities (e.g., macroglossia)
  - o Neck abnormalities (e.g., neck mass)
  - Jaw abnormalities (e.g., micrognathia)
- The QS modifier must be included on the claim when requesting reimbursement for monitored anesthesia.
- Use of monitored anesthesia for patients enrolled in the Initiative will be evaluated, post-procedure, to assess for appropriateness.

### Billing of Anesthesia:

- The Initiative will follow CMS reimbursement guidelines for the administration of anesthesia by provider types (Anesthesiologists and CRNAs), associated with colonoscopy procedures. See table below.
- When billing for anesthesia services, the claim must also include the correct modifier, identifying the
  anesthesia provider type, for the procedure on pages 4 and 5 in the Anesthesiology section of WHAT'S
  COVERED.

| Anesthesia CPT Code and Modifier with Reimbursement Rate for Physicians and CRNAs |              |                   |                |  |
|---|--------------|-------------------|----------------|--|
| Anesthesia Provider and Type of   | CPT Code and | Physician Allowed | CRNA/AA        |  |
| Reimbursement Request   | Modifier     | Amount            | Allowed Amount |  |
| Anesthesia services personally  | 00811-AA and | 100 percent       | NA             |  |
| performed by Anesthesiologist   | 00812- AA    |                   |                |  |
| Medical direction of one of 2, 3, 4   | 00811-QK and | 50 percent        | 50 percent     |  |
| concurrent anesthesia procedures  | 00812-QK     |                   |                |  |
| CRNA services with medical  | 00811-QX and | 50 percent        | 50 percent     |  |
| direction by a Physician  | 00812-QX     |                   |                |  |
| Anesthesiologist medically directs  | 00811-QY and | 50 percent        | 50 percent     |  |
| one CRNA  | 00812-QY     |                   |                |  |
| CRNA service without medical  | 00811-QZ and | NA                | 100 percent    |  |
| direction by a Physician  | 00812-QZ     |                   |                |  |

### **Moderate Sedation for Colonoscopies**

See page eight of this document for the reimbursement amount and description of the moderate sedation codes used with colonoscopy procedures.

Billing of moderate sedation for colonoscopies has changed effective 01-01-2017.

CPT Code 99152 to be used where the physician or qualified health care professional preforming the colonoscopy is also providing the sedation for the procedure. CPT Code 99153 to be included as an add-on code for each additional 15-minute interval of time providing moderate sedation after the initial 10 to 22 minutes of intraservice time for the procedure. CPT Code 99156 to be used when the





physician or other qualified health care professional other than the physician or other qualified healthcare professional performing the colonoscopy is providing the sedation support. CPT Code 99157 to be included as an add-on code for each additional 15-minute interval of time providing moderated sedation after the initial 10 to 22 minutes of intra-service time for the procedure. See the table below for billing examples.

| uote ociow for offining examples.             |                  |  |   |  |  |
|---|------------------|--|---|--|--|
| Moderate Sedation Coding and Billing Guidance |                  |  |   |  |  |
|   |                  | Physician or other qualified health care professional providing Moderate sedation (MS) is the same person performing the colonoscopy procedure | MS provided by a different physician or<br>qualified health care professional (not the<br>same physician or qualified health care<br>professional who is performing the<br>colonoscopy procedure) |  |  |
| Total intraservice time for moderate sedation | Patient age      | Code(s)  | Codes(s)  |  |  |
| Less than 10 minutes                          | Any age          | Not separately reported  | Not separately reported   |  |  |
| 10-22 minutes                                 | 5 years or       | 99152  | 99156   |  |  |
|   | older            | Billing amount = \$52.29   | Billing Amount = \$74.29  |  |  |
| 23-37 minutes                                 | 5 years or       | 99152 + 99153 x 1  | 99156 + 99157 x 1   |  |  |
|   | older            | Billing Amount \$52.29+ \$10.62 = \$62.91  | Billing Amount<br>\$74.29 + \$61.67= \$135.96   |  |  |
| 38 – 52 minutes                               | 5 years or older | 99152 + 99153 x 2 Billing Amount \$52.29 + \$21.24 = \$73.53   | 99156 + 99157 x 2 Billing Amount \$74.29 + \$123.34 = \$197.63  |  |  |
| 53-67 minutes                                 | 5 years or older | 99152 + 99153 x 3 Billing Amount \$52.29 + \$31.86 = \$84.15   | 99156 + 99157 x 3 Billing Amount \$74.29 + \$185.01= \$259.30   |  |  |
| 68-82 minutes                                 | 5 years or older | 99152 + 99153 x 4<br>\$52.29 + \$42.48 = \$94.77   | 99156 + 99157 x 4<br>\$74.29 + \$246.68= \$320.97   |  |  |
| 83 minutes or longer                          | 5 years or older | 99152 + 99153 x 5<br>\$52.29 + \$53.10 = \$105.39  | 99156 + 99157 x 5<br>\$74.29 + \$308.35= \$382.64   |  |  |

Supply codes associated with colonoscopy procedures will not be reimbursed with Initiative funds.